

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	630	(outlet recepticle) near10 (Power voltage) near10 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 11:36
L2	107	(outlet recepticle) near3 (Power voltage) near3 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 11:36
L3	0	L1 and (power near5 srip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 11:37
S12 0	1	(remote near3 power near3 reboot) and ((power remote) near10 (outlet receptacle appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 09:34
S12 1	3	(remote near3 power near3 reboot) and (outlet receptacle appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:01
S12 2	0	(remote near3 power near3 reboot) and (home house residence) near5 (appliance (coffee adj maker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:02
S12 3	11	(remote near3 power near3 reboot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:10
S12 4	15	(remote near3 power near3 (on and off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 09:05
S12 5	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 10:07
S12 6	2	"6711613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 09:53
S12 7	1	(remote near3 power near3 reboot) and ((select\$5 determin\$5) near10 (outlet receptacle appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:06

S12 8	71251	(power near4 (manag\$5 monitor\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 16:00
S12 9	664	S128 and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:07
S13 0	2	"6292902".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:07
S13 1	2196	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 09:46
S13 2	0	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) same (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:04
S13 3	2	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:04
S13 4	10	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:05
S13 5	334	S131 and ((select\$5 determin\$5) near10 (outlet receptacle appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:23
S13 6	1	S135 and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:12
S13 7	2	"5424903".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:12
S13 8	120	S131 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) and (detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:00

S13 9	2	"4675537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:09
S14 0	2	"4368394".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:10
S14 1	2	"4747041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:13
S14 2	2	"4647721".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:13
S14 3	177	307/34,35,36,37,38.ccls. and (power near4 (manag\$5 monitor\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 16:18
S14 4	42	307/34,35,36,37,38.ccls. and (power near4 (strip bar brick))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 16:19
S14 5	2	"5359540".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 09:01
S14 6	3	(09/732557) and (ewing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:07
S14 7	864	(l2c near4 (bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:58
S14 8	2196	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:00
S14 9	0	S148 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) and (detector sensor) and (l2c adj bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:01

S15 0	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:20
S15 1	2	"6711613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:02
S15 2	3	(09/732557)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:07
S15 3	28	(I2c near4 (bus)) and (I2C near4 (transceiver transmitter receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:57
S15 4	38	(I2C near4 (transceiver transmitter receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 15:04
S15 5	28	(I2c) and (power near5 (strip bar brick tap))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:59
S15 6	23	(UPS) and (SNMP) and(IPM (intelligent adj power adj module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:55
S15 7	0	(uninterruptible adj power adj supply) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:56
S15 8	4863	((uninterruptible adj power adj supply) (UPS)) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:07
S15 9	1592	((uninterruptible adj power adj supply) (UPS)) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:57
S16 0	0	((uninterruptible adj power adj supply)) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:58

S16 1	0	((uninterruptible near3 power near3 supply)) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:58
S16 2	0	((uninterruptible near3 power near3 (source system supply))) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:59
S16 3	0	((uninterruptible near3 power near3 (source system supply))) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:59
S16 4	0	((uninterruptible adj power adj supply) (UPS)) and (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:08
S16 5	0	(SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:08
S16 6	79	((uninterruptible adj power adj supply) (UPS)) and (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:08
S16 7	184	((dry-contact) (dry near3 contact)) near5 (relay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 08:43
S16 8	2	"4709339".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 08:27
S16 9	4	((dry-contact) (dry near3 contact)) near5 (relay) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 08:44
S17 0	15	("20010003206" "20020007464" "20020024332" "20020116139" "20020133728" "20020178387" "20020194517" "20030005339" "20030009705" "4611289" "5534734" "5784628" "5949974" "6219795" "6445088"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 08:49
S17 1	1	(10/758117) and (ewing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 10:03
S17 2	2	"5909180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:29

S17 3	2	"5651006".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:25
S17 4	2	"4709339".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:36
S17 5	14510	(receptacle outlet plug) near5 (controller manager monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:01
S17 6	98	S175 and (power near4 (strip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:40
S17 7	139	(receptacle outlet plug) near5 (controller manager monitor) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:55
S17 8	3	(receptacle outlet plug) near5 (controller manager monitor) and ((power voltage current AC) near5 (load state) near5 (sensor)) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:13
S17 9	98	(receptacle outlet plug) near5 (controller manager monitor) and ((power voltage current AC) near5 (load state) near5 (sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:29
S18 0	2	"6507273".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 08:05
S18 1	2	"6445087".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:32
S18 2	2	"6476729".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:33
S18 3	3	"4216384".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:45

S18 4	3	"539540".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:37
S18 5	2	"5359540".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:39
S18 6	5180	(power)near5(microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:40
S18 7	124	S186 and (Load) near5 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 13:02
S18 8	2	"5873532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:02
S18 9	2	"5872832".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:46
S19 0	1117	((optical opto) near2 (iso isolator)) and (power load current) near5 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 13:04
S19 1	8	((optical opto) near2 (iso isolator)) and (power load current) near5 (sensor) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 13:20
S19 2	88	((optical opto) near2 (iso isolator))near10 (power load current) near5 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:19
S19 3	45	((power) near (strip housing bar brick tap)) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:20
S19 4	2	"6055268".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:05

S19 5	0	(dynamica\$5) near5 (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) same (depend\$5 evaluat\$5) near10 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 06:42
S19 6	0	(dynamica\$5) near5 (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 06:43
S19 7	84	(chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:35
S19 8	26	(chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol) and (DSL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:40
S19 9	2	(reynolds) and (10/431333)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:52
S20 0	812	fail near5 safe near20 (power near2 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:54
S20 1	146	fail near5 safe near20 (power near2 supply) and (microcontroller processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:58
S20 2	0	fail near5 safe near20 (power near2 supply) and (redundant) near5 (microcontroller processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:58
S20 3	2325	(redundant) near5 (microcontroller processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:58
S20 4	1	D462658.pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 08:05
S20 5	1	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (synchroniz\$5) near5 (pulse) near5 (generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 09:49

S20 6	287	(synchroniz\$5) near5 (pulse) near5 (generator) and ((zero-crossing) (zero near5 crossing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 09:54
S20 7	175	(synchroniz\$5) near5 (pulse) near5 (generator) and ((zero-crossing) (zero near5 crossing)) and (sens\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 11:35